powerdot example 2

Hendri Adriaens   Christopher Ellison

March 15, 2007

Example 2   for powerdot – slide 1

Slide 1

- This is a bigger example

Example 2   for powerdot – slide 2

Slide 1

This section has a slide

- This is a bigger example
- demonstrating more of the possibilities of powerdot.

Example 2

- ◆ Slide 1
- This section has a slide
- ◆ Slide 2
- ◆ Slide 3

This section has a slide

Example 2　　　　　　　　　　　　　　　　　　for powerdot – slide 3

Slide 2

Here is the binomium formula.

Example 2   for powerdot – slide 4

Slide 2

Here is the binomium formula.

$$(a + b)^n = \sum_{k=0}^{n} \binom{n}{k} a^{n-k} b^k \tag{1}$$

Example 2   for powerdot – slide 4

Slide 2

Here is the binomium formula.

$$(a + b)^n = \sum_{k=0}^{n} \binom{n}{k} a^{n-k} b^k \tag{1}$$

We will prove formula (1) on the blackboard.
Click the title of this slide to switch to the black slide.

Example 2   for powerdot – slide 4

Slide 3

■ This happens…

■ when you change…

■ the type of itemize.

Example 2   for powerdot – slide 5

Slide 3

- ■ This happens…
- ■ when you change…
- ■ the type of itemize.

Example 2

for powerdot – slide 5

Slide 3

- This happens…
- when you change…
- the type of itemize.

Example 2   for powerdot – slide 5

A hidden wide section

Example 2   for powerdot – slide 6

Slide 4

■ We only treat this material...

Example 2   for powerdot – slide 7

Slide 4

- ■ We only treat this material...
  - ◆ if we have some time left.

Example 2

for powerdot – slide 7

Slide 4

■ We only treat this material...

  ◆ if we have some time left.

  ◆ But don't hesitate...

Example 2   for powerdot – slide 7

Slide 4

■ We only treat this material...

    ◆ if we have some time left.

    ◆ But don't hesitate...

■ to read it yourself.

Example 2   for powerdot – slide 7

Slide 5

This wide slide can contain more material as it is wider and does not have a table of contents.

Example 2 · for powerdot – slide 8