



powerdot example 2

Hendri Adriaens

Christopher Ellison

March 15, 2007



Slide 1

This section has a slide

- This is a bigger example

Slide 1

This section has a slide

- This is a bigger example
- demonstrating more of the possibilities of powerdot.



This section has a slide

This section has a slide





Slide 2



This section has a slide

Here is the binomium formula.

Slide 2

This section has a slide

Here is the binomium formula.

$$(a + b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \quad (1)$$

Slide 2

This section has a slide

Here is the binomium formula.

$$(a + b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \quad (1)$$

We will prove formula (1) on the blackboard.

Click the title of this slide to switch to the black slide.

Slide 3

This section has a slide

- This happens...
- when you change...
- the type of itemize.

Slide 3

This section has a slide

- This happens...
- when you change...
- the type of itemize.

Slide 3

This section has a slide

- This happens...
- when you change...
- the type of itemize.



This section has a slide A hidden wide section

A hidden wide section



Slide 4

This section has a slide A hidden wide section

- We only treat this material...

Slide 4

This section has a slide A hidden wide section

- We only treat this material...
- ◆ if we have some time left.

Slide 4

This section has a slide A hidden wide section

- We only treat this material...
 - ◆ if we have some time left.
 - ◆ But don't hesitate...

Slide 4

This section has a slide A hidden wide section

- We only treat this material...
 - ◆ if we have some time left.
 - ◆ But don't hesitate...
- to read it yourself.

Slide 5

This section has a slide A hidden wide section

This wide slide can contain more material as it is wider and does not have a table of contents.