



# *powerdot example 2*

Hendri Adriaens

Christopher Ellison

March 15, 2007

# Slide 1

- This is a bigger example

# Slide 1

- This is a bigger example
- demonstrating more of the possibilities of powerdot.

This section has a slide

## Slide 2

Here is the binomium formula.

## Slide 2

Here is the binomium formula.

$$(a + b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \quad (1)$$

## Slide 2

Here is the binomium formula.

$$(a + b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \quad (1)$$

We will prove formula (1) on the blackboard.

Click the title of this slide to switch to the black slide.



## Slide 3

- This happens...
- when you change...
- the type of itemize.

## Slide 3

- This happens...
- when you change...
- the type of itemize.

## Slide 3

- This happens...
- when you change...
- the type of itemize.

A hidden wide section

## Slide 4

- We only treat this material...

## Slide 4

- We only treat this material. . .
  - if we have some time left.

## Slide 4

- We only treat this material. . .
  - if we have some time left.
  - But don't hesitate. . .

## Slide 4

- We only treat this material. . .
  - if we have some time left.
  - But don't hesitate. . .
- to read it yourself.



## Slide 5

This wide slide can contain more material as it is wider and does not have a table of contents.