powerdot example 2

Hendri Adriaens Christopher Ellison

March 15, 2007

This is a bigger example Slide 1 This section has a slide

☐ This is a bigger example
 ☐ demonstrating more of the possibilities of powerdot.

This section has
a slide

Slide 2

Slide 3

This section has a slide

Slide 1

This section has a slide

Slide 2

Slide 3

Here is the binomium formula.

Slide 1

This section has a slide

Slide 2

Slide 3

Here is the binomium formula.

$$(a+b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \tag{1}$$

Slide 1

This section has a slide

Slide 2

Slide 3

Here is the binomium formula.

$$(a+b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \tag{1}$$

We will prove formula (1) on the blackboard. Click the title of this slide to switch to the black slide.

Slide 1
This section has a slide
Slide 2
Slide 3

□ This happens...

□ when you change...

□ the type of itemize.

Slide 1
This section has a slide
Slide 2
Slide 3

□ This happens...

□ when you change...

 \Box the type of itemize.

Slide 1
This section has a slide
Slide 2
▷ Slide 3

□ This happens...

□ when you change...

□ the type of itemize.

A hidden wide section

Slide 1

This section has a slide

A hidden wide section

Slide 4 Slide 5

☐ We only treat this material...

Slide 1

This section has a slide

A hidden wide section

Slide 4 Slide 5

- ☐ We only treat this material...
 - if we have some time left.

Slide 1

This section has a slide

A hidden wide section

Slide 4 Slide 5

- ☐ We only treat this material...
 - if we have some time left.
 - But don't hesitate...

Slide 1 We only treat this material... This section has a slide if we have some time left. A hidden wide section But don't hesitate... Slide 4 Slide 5 to read it yourself.

This wide slide can contain more material as it is wider and does not have a table of contents.