

powerdot example 2

Hendri Adriaens

Christopher Ellison

March 15, 2007

Slide 1

Slide 1

This section has a
slide

- This is a bigger example

Slide 1

Slide 1

This section has a
slide

- This is a bigger example
- demonstrating more of the possibilities of powerdot.

Slide 1

This section has a
slide

Slide 2

Slide 3

This section has a slide

Slide 2

Here is the binomium formula.

Slide 1

This section has a
slide

Slide 2

Slide 3

Slide 2

Here is the binomium formula.

$$(a + b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \quad (1)$$

Slide 1

This section has a
slide

Slide 2

Slide 3

Slide 2

Here is the binomium formula.

$$(a + b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \quad (1)$$

We will prove formula (1) on the blackboard.

Click the title of this slide to switch to the black slide.

Slide 1

This section has a
slide

Slide 2

Slide 3

Slide 3

Slide 1

This section has a
slide

Slide 2

Slide 3

- This happens...
- when you change...
- the type of itemize.

Slide 3

Slide 1

This section has a
slide

Slide 2

Slide 3

- This happens...
- when you change...
- the type of itemize.

Slide 3

Slide 1

This section has a
slide

Slide 2

Slide 3

- This happens...
- when you change...
- the type of itemize.

A hidden wide section

Slide 4

- We only treat this material...

Slide 1

This section has a
slide

A hidden wide section

Slide 4

Slide 5

Slide 4

- We only treat this material...
 - if we have some time left.

Slide 1

This section has a
slide

A hidden wide section

Slide 4

Slide 5

Slide 4

- We only treat this material...
 - if we have some time left.
 - But don't hesitate...

Slide 1

This section has a
slide

A hidden wide section

Slide 4

Slide 5

Slide 4

Slide 1

This section has a
slide

A hidden wide section

Slide 4

Slide 5

- We only treat this material...
 - if we have some time left.
 - But don't hesitate...

- to read it yourself.

Slide 5

This wide slide can contain more material as it is wider and does not have a table of contents.