powerdot example 2

Hendri Adriaens   Christopher Ellison

March 15, 2007

Example 2   for powerdot – slide 1

Slide 1

- This is a bigger example

Example 2

for powerdot – slide 2

Slide 1

- This is a bigger example

- demonstrating more of the possibilities of powerdot.

Example 2

for powerdot – slide 2

This section has a slide

Example 2

for powerdot – slide 3

Slide 2

Here is the binomium formula.

Example 2

for powerdot – slide 4

Slide 2

Here is the binomium formula.

$$(a + b)^n = \sum_{k=0}^{n} \binom{n}{k} a^{n-k} b^k \tag{1}$$

Example 2

for powerdot − slide 4

Slide 2

Here is the binomium formula.

$$(a + b)^n = \sum_{k=0}^{n} \binom{n}{k} a^{n-k} b^k \tag{1}$$

We will prove formula (1) on the blackboard.

Click the title of this slide to switch to the black slide.

Example 2

for powerdot – slide 4

Slide 3

■ **This happens...**

■ when you change...

■ the type of itemize.

Example 2

for powerdot – slide 5

Slide 3

■ This happens...

■ when you change...

■ the type of itemize.

Example 2

for powerdot – slide 5

Slide 3

- This happens. . .

- when you change. . .

- the type of itemize.

Example 2

for powerdot – slide 5

A hidden wide section

Example 2

for powerdot – slide 6

Slide 4

- We only treat this material. . .

Example 2

for powerdot – slide 7

Slide 4

■ We only treat this material...

◆ if we have some time left.

Example 2

for powerdot – slide 7

Slide 4

■ We only treat this material...

◆ if we have some time left.

◆ But don't hesitate...

Example 2

for powerdot – slide 7

Slide 4

■ We only treat this material...

◆ if we have some time left.

◆ But don't hesitate...

■ to read it yourself.

Example 2   for powerdot – slide 7

Slide 5

This wide slide can contain more material as it is wider and does not have a table of contents.

Example 2   for powerdot – slide 8