# powerdot example 2

Hendri Adriaens

**Christopher Ellison** 

March 15, 2007

• Slide 1

This section has a slide

• This is a bigger example

• Slide 1

- This is a bigger example
- demonstrating more of the possibilities of powerdot.

• Slide 1

#### This section has a slide

- Slide 2
- Slide 3

• Slide 1

This section has a slide

- Slide 2
- Slide 3

Here is the binomium formula.

• Slide 1

This section has a slide

- Slide 2
- Slide 3

Here is the binomium formula.

$$(a+b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \tag{1}$$

Slide 1

This section has a slide

- Slide 2
- Slide 3

Here is the binomium formula.

$$(a+b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \tag{1}$$

We will prove formula (1) on the blackboard.

Click the title of this slide to switch to the black slide.

• Slide 1

- Slide 2
- Slide 3

- This happens...
- when you change...
- the type of itemize.

• Slide 1

- Slide 2
- Slide 3

- This happens...
- when you change...
- the type of itemize.

• Slide 1

- Slide 2
- Slide 3

- This happens...
- when you change...
- the type of itemize.

• Slide 1

This section has a slide

A hidden wide section

- Slide 4
- Slide 5

We only treat this material...

• Slide 1

This section has a slide

- Slide 4
- Slide 5

- We only treat this material...
  - if we have some time left.

• Slide 1

This section has a slide

- Slide 4
- Slide 5

- We only treat this material...
  - o if we have some time left.
  - But don't hesitate...

• Slide 1

This section has a slide

- Slide 4
- Slide 5

- We only treat this material...
  - o if we have some time left.
  - o But don't hesitate...
- to read it yourself.

This wide slide can contain more material as it is wider and does not have a table of contents.