powerdot example 2

Hendri Adriaens   Christopher Ellison

March 15, 2007

Slide 1

- This is a bigger example

Example 2   for powerdot − slide 2

Slide 1

- This is a bigger example

- demonstrating more of the possibilities of powerdot.

ζ

π

e

i

Example 2   for powerdot – slide 2

This section has a slide

Example 2

for powerdot − slide 3

Slide 2

Here is the binomium formula.

Example 2

for powerdot − slide 4

Slide 2

Here is the binomium formula.

$$(a+b)^n = \sum_{k=0}^{n} \binom{n}{k} a^{n-k} b^k \tag{1}$$

ζ

π

e

i

Example 2   for powerdot − slide 4

Slide 2

Here is the binomium formula.

$$(a+b)^n = \sum_{k=0}^{n} \binom{n}{k} a^{n-k} b^k \qquad (1)$$

We will prove formula (1) on the blackboard.
Click the title of this slide to switch to the black slide.

Example 2   for powerdot − slide 4

Slide 3

- This happens...

- when you change...

- the type of itemize.

ζ

π

e

i

Example 2   for powerdot – slide 5

Slide 3

- This happens...

- when you change...

- the type of itemize.

π

ζ

e

i

Example 2

for powerdot – slide 5

Slide 3

- This happens. . .

- when you change. . .

- the type of itemize.

Example 2

for powerdot – slide 5

A hidden wide section

Example 2

for powerdot – slide 6

Slide 4

- We only treat this material. . .

Example 2

for powerdot − slide 7

Slide 4

■ We only treat this material...

◆ if we have some time left.

Example 2   for powerdot − slide 7

Slide 4

■ We only treat this material. . .

◆ if we have some time left.

◆ But don't hesitate. . .

Example 2

for powerdot – slide 7

Slide 4

- We only treat this material. . .

  - if we have some time left.

  - But don't hesitate. . .

- to read it yourself.

Example 2

for powerdot – slide 7

Slide 5

This wide slide can contain more material as it is wider and does not have a table of contents.

ζ

π

e

i

Example 2

for powerdot − slide 8