



# powerdot example 2

Hendri Adriaens

Christopher Ellison

March 15, 2007

- This is a bigger example

Slide 1

This section has a  
slide

- This is a bigger example
- demonstrating more of the possibilities of powerdot.

Slide 1

This section has a  
slide

Slide 1

This section has a  
slide

Slide 2

Slide 3

**This section has a slide**

Here is the binomium formula.

Slide 1

This section has a  
slide

Slide 2

Slide 3

Here is the binomium formula.

$$(a + b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \quad (1)$$

Slide 1

This section has a  
slide

Slide 2

Slide 3

Here is the binomium formula.

$$(a + b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \quad (1)$$

We will prove formula (1) on the blackboard.

Click the title of this slide to switch to the black slide.

Slide 1

This section has a  
slide

Slide 2

Slide 3



- This happens...
- when you change...
- the type of itemize.

Slide 1

This section has a  
slide

---

Slide 2

Slide 3

- This happens...
- when you change...
- the type of itemize.

Slide 1

This section has a  
slide

---

Slide 2

Slide 3

- This happens...
- when you change...
- the type of itemize.

Slide 1

This section has a  
slide

---

Slide 2

Slide 3

# A hidden wide section

- We only treat this material...

Slide 1

This section has a  
slide

A hidden wide  
section

Slide 4

Slide 5

- We only treat this material...
- ◆ if we have some time left.

Slide 1

This section has a  
slide

A hidden wide  
section

Slide 4

Slide 5

- We only treat this material...
  - ◆ if we have some time left.
  - ◆ But don't hesitate...

Slide 1

This section has a  
slide

A hidden wide  
section

Slide 4

Slide 5

- We only treat this material...
  - ◆ if we have some time left.
  - ◆ But don't hesitate...
- to read it yourself.

Slide 1

This section has a  
slide

A hidden wide  
section

Slide 4

Slide 5



This wide slide can contain more material as it is wider and does not have a table of contents.